



AFB 820

New Product Release Document

Marketing Department. October 13, 2021

This document is created to register the marketing communication collaterals and process details for the launch of the above-mentioned pattern; it is intended for internal circulation and approval for further dissemination. All facts and figures mentioned in the document is true to the best of our knowledge as on the above said date, for updated information please feel free to visit the website www.ascensotyres.com



New Product Release Document

Release Month: October'21

Brand: ASCENSO

Tread Pattern: AFB 820

Tyre Construction: Bias

Type: Tube Less

Main Applications: Agro Forestry

TRA Code: R-1



List of Sizes

Size	LSI
18.4-26	16



Salient Features

Robust Lug Design:

Combination of robust lugs used in forestry applications & good self-cleaning properties

Flat and Wider Tread:

Excellent stability during vehicle operation

Specially Designed Tread Compound:

Ensures longer tyre life in forestry application





Technical Specification

Size	Rim	Unloaded	Dimension					Recommended load, kg (lbs)			
		Unloaded Dimension		SLR	RC	Load Index	Inflation Pressure	Speed, kmph (mph)			
		SW	OD			PR Symbols	riessuie	Mixed application			
		mm	mm	mm	mm		Bar	10	20	30	40
		in	in	in	in		Psi	6	12	19	25
18.4-26	16	467	1450	656	4337	16 PR 156 A8	2.5	6000	4920	4280	4000
		18.4	57.1	25.8	170.7		36	13220	10940	9430	8810

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover