



BHB 313

New Product Release Document

Marketing Department. September 23, 2020

This document is created to register the marketing communication collaterals and process details for the launch of the above-mentioned pattern; it is intended for internal circulation and approval for further dissemination. All facts and figures mentioned in the document is true to the best of our knowledge as on the above said date, for updated information please feel free to visit the website www.ascensotyres.com



New Product Release Document

Release Month: September'20

Brand: ASCENSO

Tread Pattern: BHB 313

Tyre Construction: Bias

Type: Tubeless

Main Applications: Backhoe Loader

TRA Code: F-3



List of Sizes

Size	PR		
11L-16	10		



Salient Features

Robust Tread Design:

- Provides directional stability
- Increase flotation

Reinforced Sidewall:

Enhance protection against cuts & damage







Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC		Infl. Pressure	Recommended load, kg (lbs)
		SW	OD			LI/SI or PR	Pressure	Speed/h(mph)
		mm	mm	mm	mm		Bar	40
		In	in	in	in		Psi	25
11L-16	8	279	808	369	2417	10PR 112 A8	3.6	1120
		11.0	31.8	14.5	95.2		53	2464

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover