



BHB 312

New Product Release Document

Marketing Department.
September 23, 2020

This document is created to register the marketing communication collaterals and process details for the launch of the above-mentioned pattern; it is intended for internal circulation and approval for further dissemination. All facts and figures mentioned in the document is true to the best of our knowledge as on the above said date, for updated information please feel free to visit the website www.ascensotyres.com

New Product Release Document

Release Month: September'20

Brand: ASCENSO

Tread Pattern : BHB 312

Tyre Construction : Bias

Type : Tubeless

Main Applications: Backhoe Loader

TRA Code : R-4

List of Sizes

Size	PR
19.5L-24 IND	12
21L-24 IND	12



Salient Features

Special Rounded Tread Bars:

Reduces vehicle vibration and enhances operator comfort

Wider Lugs:

Optimum contact area for high traction

Thick Under Tread:

Ensures protection from cuts and punctures



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	LI/SI or PR	Inflation Pressure	Recommend load, kg(lbs)
		SW	OD					Speed , km/h(mph)
		mm	mm				mm	mm
		In	in	in	in		Psi	25
19.5L-24 IND	17	495	1314	596	3930	12PR	2.3	3450
		19.5	51.7	23.5	154.7	151A8	34	7600
21L--24 IND	18	533	1378	622	4122	12PR	2.2	3875
		21.0	54.3	24.5	162.3	155A8	32	8540

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com