



BHB 315

New Product Release Document

Marketing Department.

Oct 6, 2022

This document is created to register the marketing communication collaterals and process details for the launch of the above-mentioned pattern; it is intended for internal circulation and approval for further dissemination. All facts and figures mentioned in the document is true to the best of our knowledge as on the above said date, for updated information please feel free to visit the website www.ascensotyres.com

New Product Release Document

Release Month: Oct '22

Brand: ASCENSO

Tread Pattern : BHB 315

Tyre Construction : Bias

Type : Tubeless

Main Applications: Backhoe loader machinery

TRA Code : L4 & L5

List of Sizes

Size	PR
12.5/80-18	14
18.4-26	14
16.9-28	14



Salient Features

- Unique Tread Design
- Wide and sturdy centre block gives high contact area and better stability
- High solid to void ratio gives long service life
- Superior compound provides ability to work in tough construction application



Technical Specification

Size	Rim	Unloaded dimension		Static Load Radius	Rolling Circumference	PR / Load Index / Speed Symbol	Inflation Pressure	Recommend load, kg (lbs)
		SW	OD					Speed, km/h(mph)
		mm	mm					Mixed Application
		in	in					40
12.5/80-18	W9	308	965	438	2886	14PR	4.3	2000
		12.1	38.0	17	114	132 A8	62	4410
18.4-26	W16L	467	1426	646	4265	14PR	2.9	4500
		18.4	56.1	25.4	167.9	160 A8	42	9910
16.9-28	W15L	429	1410	644	4217	14PR	3.2	4000
		16.9	55.5	25.4	166.0	156 A8	46	8810

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com